

# Lucca Anti-Ligature

## Multi-Mode Bulkhead

### Product Specification



**melagen<sup>®</sup>**  
light + biology

### Features & Benefits

- Lucca Anti-Ligature has a decorative appearance with a unique lens designed to diffuse the LEDs with no viable ledges for self-harm
- Heavy gauge die-cast aluminium with a high output polycarbonate, anti-vandal diffuser
- Flush mounting with tamper-proof screws
- IP65 and IK20 rated (250J)
- Removable gear tray, universal fitment across the entire Lucca range
- Back light capability, creating 3 different output modes in combination
- DALI / Switch dim as standard
- Anti-ligature when ceiling mounted
- 2200K, 3000K, 4000K and 4200K, plus Melagen dynamic lighting, all CRI>90
- Available from stock



### Primary Applications

#### High Risk

Designed for low, medium and high-risk secure services

#### Custodial

Washrooms, walkways, stairwells and maintenance areas

#### Mental Health

Bedrooms, bathrooms, corridors and day rooms

#### Infrastructure

Car parks, railway stations and subways

### Specification Assist

Round bulkhead, anti-ligature and anti-vandal  
>IK20 (250J) and >IP65 with thick aluminium body  
and 8mm polycarbonate LED Opal lens, secured  
with Resistox screws. Part L compliant (>95lm/W),  
low flicker, adjustable LED driver, replaceable LEDs  
with CRI >90 and lifetime in excess of 72,000 hours

Designed and  
Manufactured  
in the UK



CE UK CA

+44 (0) 1787 881191  
info@lightyearsahead.co.uk

**lightyearsahead.co.uk**

Church Field Road, Sudbury, Suffolk CO10 2YA

**LIGHT YEARS AHEAD**



# Lucca 250 Anti-Ligature

## Multi-Mode Bulkhead

### Product Dimensions

Diameter 265mm

Depth 95mm



### Lighting Data

Product Code	CRI	Colour Temp	Lumens (lm)	Wattage (W)	lm/W	Weight (kg)
LUC-AL-250-L2-4K	>90	4000K	1497	15.0	100	3.5
LUC-AL-250-L3-4K	>90	4000K	1711	17.0	100	3.5
LUC-AL-250-L4-4K	>90	4000K	1924	19.0	100	3.5
LUC-AL-250-L5-4K	>90	4000K	2138	22.0	100	3.5
LUC-AL-250-L6-4K	>90	4000K	2565	26.0	100	3.5
LUC-AL-250-L7-4K	>90	4000K	2993	30.0	100	3.5

### Optional Extras

Additional options are available. Please contact us for more information.

-3K 3000K (5% lower lumen)

-SW Switchable up/down

For additional details on this or any other lighting products and solutions in the Light Years Ahead portfolio, please contact our expert team.

+44 (0) 1787 881191

info@lightyearshead.co.uk

**lightyearshead.co.uk**

Church Field Road, Sudbury, Suffolk CO10 2YA

**LIGHT YEARS AHEAD**



# Lucca 350 Anti-Ligature

## Multi-Mode Bulkhead

### Product Dimensions

Diameter 365mm

Depth 95mm



### Lighting Data

Product Code	CRI	Colour Temp	Lumens (lm)	Wattage (W)	lm/W	Weight (kg)
LUC-AL-350-L2-4K	>90	4000K	1497	16.0	95	4.0
LUC-AL-350-L3-4K	>90	4000K	1711	18.0	95	4.0
LUC-AL-350-L4-4K	>90	4000K	1924	20.0	95	4.0
LUC-AL-350-L5-4K	>90	4000K	2138	23.0	95	4.0
LUC-AL-350-L6-4K	>90	4000K	2565	27.0	95	4.0
LUC-AL-350-L7-4K	>90	4000K	2993	30.0	95	4.0
LUC-AL-350-L8-4K	>90	4000K	3079	33.0	95	4.0
LUC-AL-350-L9-4K	>90	4000K	3324	36.0	95	4.0
LUC-AL-350-MX-4K	>90	4000K	3740	40.0	95	4.0

### Optional Extras

Additional options are available. Please contact us for more information.

-SW Switchable up/down  
-3K 3000K (5% lower lumen)

For additional details on this or any other lighting products and solutions in the Light Years Ahead portfolio, please contact our expert team.

+44 (0) 1787 881191  
info@lightyearshead.co.uk

**lightyearshead.co.uk**

Church Field Road, Sudbury, Suffolk CO10 2YA

**LIGHT YEARS AHEAD**